




- Article Fenestrated Drape
- Specification No. 51 45 72 / 51 75 92
- Article No. **51 45 72 & 51 75 92, sterile goods**  
**51 45 72/9 & 700 539, non-sterile goods**  
**51 75 92/9 & 700 628, non-sterile goods**
1. Description Drape made of **Mediwell 2-ply** turquoise, with fenestration
2. Application Patient drape
3. Production The above mentioned drape is manufactured in hygienic conditions
4. Material composition ***all of the materials used are latex-free!***
- 4.1 Basis drape MW 2-ply
- Film PE film, turquoise / transparent
  - Tissue 100 % virgin cellulose, white, oxygen bleached
  - Lamination glued lamination
5. Product properties very absorbent, impermeable to fluids and bacteria
6. Technical data
- 6.1 Dimensions

<b>Article No.</b>	<b>Length [cm]</b>	<b>Width [cm]</b>	<b>Fenestration</b>
<b>51 45 72</b>	45 ± 3	75 ± 1	Ø 6 cm ± 1 cm
<b>51 75 92</b>	90 ± 3	75 ± 1	Ø 6 cm ± 1 cm

- 6.1.1 Folded dimensions
- Length 23 cm ± 2 cm
  - Width 10 cm ± 1 cm
- 6.2 Raw material
- Film
  - Basis weight 15 g/m<sup>2</sup> ± 10 %
  - Thickness 16 µm ± 10 %

Quality Assurance:	
Date: 20.08.2022	Signature: 



Article Fenestrated Drape  
Specification No. 51 45 72 / 51 75 92

- *Tissue*
- Basis weight 22 g/m<sup>2</sup> ± 10 %
- Absorption Ø 180 ml/m<sup>2</sup>


### 6.3 Physical material properties

- *Tensile strength in accordance with DIN EN ISO 527-3*
- MD Ø > 10 N/15 mm
- CD Ø > 6.0 N/15 mm
- *Stretch in accordance with DIN EN ISO 527-3*
- MD Ø > 250 %
- CD Ø > 420 %
- *Puncture resistance* Ø > 20 N

## 7. Folding

### 7.1 Schematic diagram

- # 51 45 72



all dimensions in cm




Article

Fenestrated Drape

Specification No.

51 45 72 / 51 75 92

• # 51 75 92



all dimensions in cm



Article	Fenestrated Drape
Specification No.	51 45 72 / 51 75 92
8. Packaging	
8.1 Primary packaging	
• Paper	70 g/m <sup>2</sup> ± 10 %
• Film	PA/PE 85 µm ± 10 %, transparent
8.2 Dispenser	<i>grade E / WTU 135 / W 100 / TB 130</i>
• Size	310 x 125 x 284 mm ± 10 mm
• Contents # 51 45 72	100 pcs.
• Contents # 51 75 92	50 pcs.
8.3 Transport packaging	<i>grade 1.40 B</i>
• Size	800 x 294 x 316 mm ± 10 mm
• Contents # 51 45 72	600 (6 x 100) pcs.
• Contents # 51 75 92	300 (6 x 50) pcs.
8.4 Sterilisation	EtO sterilisation ( <i>in accordance with ISO 11135</i> )
8.5 Usability and storage	5 years, no direct exposure to sunshine, store at a dry place.



Article Fenestrated Drape  
Specification No. 51 45 72 / 51 75 92

9. Packaging / **non-sterile goods**

9.1 *Film bag*

- Size 650 / 300 x 725 mm ± 10 mm
- Film PE film 40 µm ± 10 %, transparent

9.2 *Transport packaging*

*grade 1.30 C*

- Size 645 x 295 x 235 mm ± 10 mm
- Contents

<b>Article No.</b>	<b>51 45 72/9</b>	<b>51 75 92/9</b>
<i>Contents</i>	500 pcs.	170 pcs.

9.3 *Sterilisation* suitable for sterilisation by EtO gas and irradiation with 25 kGy.

9.3.1 *Material properties after irradiation*

- After sterilisation by irradiation at rate of 50 kGy a linear decrease of values of 25 % is to be expected.

9.4 *Usability and storage*

6 years from the delivery date  
no direct exposure to sunshine,  
store at a dry place.

10. Disposal The raw material can be disposed of in an environmentally friendly manner.  
No toxic gases are released during incineration, as no PVC is used.  
The ground water is not contaminated by toxic substances when dumped.

The raw materials used in manufacture are physiologically harmless.

This product specification is the property of SENGEWALD Klinikprodukte GmbH and is to be treated with the strictest confidence. Communication to third parties and duplication, in whole or in part, are not permitted.