

Article		Fenestrated Drape	
Specification No.		55 66 00	
Article No.		55 66 01 and 55 66 02, sterile goods 55 66 01/9 & 700 499, non-sterile goods 55 66 02/9 & 700 500, non-sterile goods	
1.	Description	Drape made of filmdrape semi-opaque, with fenestration and adhesive zone	
2.	Application	Patient drape	
3.	Production	The above mentioned drape is manufactured in hygienic conditions	
4. •	Material composition <i>Film</i> <i>Adhesive tape</i>	<i>all of the materials used are <u>latex-free</u>!</i> PE film, semi-opaque, micro-embossed film skin friendly, synthetic caoutchouc adhesive on a polyester carrier	
٠	Silicone paper	silicone glazed paper, white	
5.	Product properties	impermeable to fluids and bacteria, extremely drapeable.	

- 6. Technical data
- 6.1 <u>Dimensions</u> / Basis drape

Article No.	Length [cm]	Width [cm]	Fenestration [cm]
55 66 01	40 ± 1	40 ± 1	Ø 6 ± 1
55 66 02	65 ± 1	57 ± 1	Ø 6 ± 1

6.1.1 Adhesive tape

- Length
- Width
- Finger lift

10 cm ± 1 cm

- $10.5 \text{ cm} \pm 1 \text{ cm}$
- 1 cm, lengthwise on both sides

Quality Assurance:		
Date: 06.09.2022	Signature:	Liebzon
QSt 21 gültig ab 14.11.2016		



Article		Fenestrated Drape
Specification No.		55 66 00
6.2 • •	<i>Raw material Film</i> Basis weight Thickness <i>Silicone paper</i> Basis weight	34 g/m² ± 10 % 50 μm ± 10 % 70 g/m² ± 10 %
6.3 • • •	Physical material properties / Ba Stretch in accordance with DIN B MD CD Tensile strength in accordance w MD CD	EN ISO 527-3 ∅ > 500 % ∅ > 500 %
•	Puncture resistance	Ø > 19 N

Page: 3 of: 6 Revision: 10 Date: 09/2022



CARE THROUGH EFFICIENCY

Article


Fenestrated Drape

Specification No.

55 66 00

7. Folding / Schematic diagram

55 66 01



all dimensions in cm




Article

Fenestrated Drape

Specification No.

55 66 00

• # 55 66 02



all dimensions in cm



Article

Fenestrated Drape

Specification No.

55 66 00

7.1 Final folded dimensions

Article No.	55 66 01	55 66 02
Length [cm]	13.5 ± 2	19 ± 2
Width [cm]	10 ± 1	10.5 ± 1

8. Packaging / *sterile goods*

- 8.1 Primary packaging
 - Paper 70 g/m² ± 10 %
 Film PA/PE 85 μm ± 10 %, transparent
- 8.2 Dispenser
 - Size
 - Contents # 55 66 01
 - Contents # 55 66 02
- 8.3 Transport packaging
 - Size
 - Contents # 55 66 01
 - Contents # 55 66 02
- 8.4 Sterilisation
- 8.5 Usability and storage

140 pcs. 120 pcs. grade 1.40 B

310 x 125 x 284 mm ± 10 mm

grade E / WTU 135 / W 100 / TB 130

 $800 \times 294 \times 316 \text{ mm} \pm 10 \text{ mm}$ 840 (6 x 140) pcs. 720 (6 x 120) pcs.

EtO sterilisation (in accordance with ISO 11135)

5 years, no direct exposure to sunshine



Article	Fenestrated Drape		
Specification No.	55 66 00		
 9. Packaging / non-sterile 9.1 <i>Film bag</i> Size Film Contents # 55 66 01/9 Contents # 55 66 02/9 	goods 420 / 340 x 700 mm ± 10 mm PE film 50 μm ± 10 %, transparent 150 pcs. 1,000 pcs.		
 9.2 Transport packaging Size = # 55 66 01/9 Contents Transport packaging line 	grade T34 EB / grade 2.30 CB 405 x 305 x 100 mm ± 10 mm 150 pcs. ed with PE bag.		
 Size = # 55 66 02/9 Contents Transport packaging line 	490 x 400 x 350 mm ± 10 mm 1,000 pcs. ed with PE bag.		
9.3 Sterilisation	suitable for sterilisation by EtO gas and irradiation with 25 kGy.		
	 3.1 Material properties after irradiation After sterilisation by irradiation at rate of 50 kGy a linear decrease of values of 25 % 		
9.4 Usability and storage packaging,	6 years from the delivery date in original		
packaging,	no direct exposure to sunshine		
10. Disposal environmentally	The raw material can be disposed of in an friendly manner. No toxic gases are released during incineration, as no PVC is used. The ground water is not contaminated by toxic substances when dumped.		

The raw materials used in manufacture are physiologically harmless.

This product specification is the property of SENGEWALD Klinikprodukte GmbH and is to

be treated with the strictest confidence. Communication to third parties and duplication,

in whole or in part, are not permitted.